

Website:- chemicalbull.com MATERIAL SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Lithium Hydroxide

CAS-No. : 1310-65-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemical Pvt Limited

Industrial Area, Anekal Taluka

Plot No 12,

12 Bommasandra - Jigani Link Road

560100 BANGALORE

INDIA

1.4 Emergency telephone

Emergency Phone : +91 9696960250

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

## **Classification according to Regulation**

Acute toxicity, Oral Skin corrosion Serious eye damage

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

**Labelling according Regulation** 

Pictogram

Signal word Danger

Hazard statement(s)

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe dusts or mists.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection/ hearing protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : HLiO

Molecular weight : 23,95 g/mol CAS-No. : 1310-65-2

Component		Classification	Concentration
Lithium hydroxide			
CAS-No.	1310-65-2	Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; H301, H314, H318	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Lithium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

#### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

## **6.2 Environmental precautions**

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

strongly hygroscopic Sensitive to carbon dioxide Store under inert gas.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

**Ingredients with workplace control parameters** 

## 8.2 Exposure controls

## **Personal protective equipment**

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as Tightly fitting safetygoggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in please contact the supplier of approved gloves

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in please contact the supplier of approved gloves

Splash contact

#### **Body Protection**

protective clothing

## **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards and other accompanying standards relating to the used respiratory protection system.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## Control of environmental exposure

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Color: white

b) Odor odorless

c) Odor Threshold Not applicable

d) pH No data available

e) Melting point/range: 470 °C

point/freezing point

f) Initial boiling point No data available and boiling range

g) Flash point Not applicable

h) Evaporation rate No data available

i) Flammability (solid, No data available

gas)

j) Upper/lower No data available

flammability or explosive limits

k) Vapor pressure No data available

) Vapor density No data available

m) Density No data available

Relative density No data available

n) Water solubility 110 g/l at 20 °C - OECD Test Guideline 105

o) Partition coefficient: Not applicable for inorganic substances

n-octanol/water

p) Autoignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

s) Explosive properties No data availablet) Oxidizing properties No data available

# 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

Violent reactions possible with: acids

#### 10.4 Conditions to avoid

Avoid moisture. no information available

## 10.5 Incompatible materials

Aluminum, Lead, Zinc, Tin

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 210 mg/kg

Remarks: (RTECS)

LC50 Inhalation - Rat - male and female - 4 h - > 3,4 mg/l

(OECD Test Guideline 403) Dermal: No data available

# Skin corrosion/irritation

Skin - in vitro test Result: Corrosive

(OECD Test Guideline 435)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Lithium hydroxide monohydrate

# Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitization

No data available

# **Germ cell mutagenicity**

No data available

# Carcinogenicity

No data available

## **Reproductive toxicity**

No data available

## Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion., Cyanosis and t-wave inversion have occurred in the breast-fed infants of women receiving lithium carbonate therapy., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 19,1 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata (green algae) -

87,57 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria Respiration inhibition EC50 - Sludge Treatment - 180,8 mg/l - 3 h

(OECD Test Guideline 209)

## 12.2 Persistence and degradability

Biodegradability Result: - Readily biodegradable.

Remarks: The methods for determining the biological degradability

are not applicable to inorganic substances.

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

See for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 2680 IMDG: 2680 IATA: 2680

14.2 UN proper shipping name

ADR/RID: LITHIUM HYDROXIDE IMDG: LITHIUM HYDROXIDE IATA: Lithium hydroxide

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation

# **National legislation**

Seveso of the EuropeanParliament and of the : ACUTE TOXIC Council on the control of major-accident hazards involving dangerous substances.

## Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir national regulations where applicable.

Take note on the protection of young people at work.

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

## Full text of H-Statements referred to under sections 2 and 3.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties ofthe product. ChemicalBull Pvt Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

See chemicalbull.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact <a href="mailto:info@chemicalbull.com">info@chemicalbull.com</a>