



Website:- [chemicalbull.com](http://chemicalbull.com)

## MATERIAL SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Chlorhexidine  
CAS-No. : 55-56-1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

#### 1.3 Details of the supplier of the safety data sheet

Company : **ChemicalBull Pvt Ltd**  
123/124, Panchratna, G.I.D.C  
Char Rasta, Vapi-396195  
Dist, Valsad, Gujarat, INDIA  
**Website:-** [chemicalbull.com](http://chemicalbull.com)  
**Email:-** [info@chemicalbull.com](mailto:info@chemicalbull.com)

#### 1.4 Emergency telephone

Emergency Phone # : **+91 9696960250**

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation

Serious eye damage  
Short-term (acute) aquatic hazard ,Long-term  
(chronic) aquatic hazard

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

##### Labelling according Regulation

Pictogram



Signal word	Danger
Hazard statement(s)	
H318	Causes serious eye damage.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P273	Avoid release to the environment.
P280	Wear eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P391	Collect spillage.
P501	Dispose of contents/ container to an approved waste disposal plant.
Supplemental Hazard Statements	none

### Reduced Labeling (<= 125 ml)

Pictogram



Signal word	Danger
Hazard statement(s)	
H318	Causes serious eye damage.
Precautionary statement(s)	
P280	Wear eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.  
Photosensitizer.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms	: 1,1'-Hexamethylenebis[5-(4-chlorophenyl)biguanide]
Formula	: C <sub>22</sub> H <sub>30</sub> Cl <sub>2</sub> N <sub>10</sub>
Molecular weight	: 505,45 g/mol
CAS-No.	: 55-56-1

Component	Classification	Concentration
<b>Chlorhexidine</b>		
CAS-No.	55-56-1	Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1;
		<= 100 %

	H318, H400, H410 M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1	
--	--	--

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NO<sub>x</sub>)

Hydrogen chloride gas

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### **6.2 Environmental precautions**

Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

Tightly closed. Dry.

### **7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Ingredients with workplace control parameters**

### **8.2 Exposure controls**

#### **Personal protective equipment**

##### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards. Tightly fitting safety goggles

##### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min  
Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated.

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

### **Body Protection**

protective clothing

### **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |   |  |
|---|--|
| a) Appearance                                   | Form: solid<br>Color: white              |
| b) Odor   | No data available                        |
| c) Odor Threshold                               | No data available                        |
| d) pH   | No data available                        |
| e) Melting point/freezing point                 | Melting point/range: 134 - 136 °C - lit. |
| f) Initial boiling point and boiling range      | No data available                        |
| g) Flash point                                  | No data available                        |
| h) Evaporation rate                             | No data available                        |
| i) Flammability (solid, gas)                    | No data available                        |
| j) Upper/lower flammability or explosive limits | No data available                        |
| k) Vapor pressure                               | No data available                        |

l) Vapor density	No data available
m) Relative density	No data available
n) Water solubility	0,8 g/l at 20 °C
o) Partition coefficient: n-octanol/water	log Pow: 0,08 - (Lit.), Bioaccumulation is not expected.
p) Autoignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Violent reactions possible with:  
Strong oxidizing agents

### 10.4 Conditions to avoid

no information available

### 10.5 Incompatible materials

no information available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - > 5.000 mg/kg  
(OECD Test Guideline 401)

Symptoms: Possible damages:, mucosal irritations

LD50 Dermal - Rabbit - male and female - > 2.815 mg/kg  
(US-EPA)

**Skin corrosion/irritation**

Skin - Rabbit

Result: No skin irritation - 4 h  
(OECD Test Guideline 404)

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Irreversible effects on the eye  
(OECD Test Guideline 405)

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

No data available

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Result: negative

Remarks: (Lit.)

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

No data available

**Specific target organ toxicity - single exposure**

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

No description of any further symptoms is available.

Further data:

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Danio rerio (zebra fish) - 1,4 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 0,049 mg/l - 48 h (OECD Test Guideline 202) Remarks: (in analogy to similar products)
Toxicity to algae	static test EC10 - Desmodesmus subspicatus (green algae) - 0,017 mg/l - 72 h (OECD Test Guideline 201) Remarks: (in analogy to similar products)
	static test ErC50 - Desmodesmus subspicatus (green algae) - 0,046 mg/l - 72 h (OECD Test Guideline 201) Remarks: (in analogy to similar products)

### 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 28 d Result: 0 % - Not readily biodegradable. (OECD Test Guideline 301D)
Chemical Oxygen Demand (COD)	110 mg/g Remarks: (IUCLID)

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

Additional ecological information Discharge into the environment must be avoided.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.



---

**SECTION 14: Transport information****14.1 UN number**

ADR/RID: 3077

IMDG: 3077

IATA: 3077

**14.2 UN proper shipping name**

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorhexidine)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorhexidine)

IATA: Environmentally hazardous substance, solid, n.o.s. (Chlorhexidine)

**14.3 Transport hazard class(es)**

ADR/RID: 9

IMDG: 9

IATA: 9

**14.4 Packaging group**

ADR/RID: III

IMDG: III

IATA: III

**14.5 Environmental hazards**

ADR/RID: yes

IMDG Marine pollutant: yes

IATA: yes

**14.6 Special precautions for user****Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids. Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This material safety data sheet complies with the requirements of Regulation.

**National legislation**

Seveso III: Directive of the European

: ENVIRONMENTAL HAZARDS

Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

**15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

---

**SECTION 16: Other information****Full text of H-Statements referred to under sections 2 and 3.**

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

**Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. **ChemicalBull Pvt Ltd** and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

See [chemicalbull.com](http://chemicalbull.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [info@chemicalbull.com](mailto:info@chemicalbull.com)