



Website:- chemicalbull.com

MATERIAL SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : **Dimethyl Disulfide**

CAS-No. : 624-92-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : **ChemicalBull Pvt Ltd**
123/124, Panchratna, G.I.D.C
Char Rasta, Vapi-396195
Dist, Valsad, Gujarat, INDIA
Website:- chemicalbull.com
Email:- info@chemicalbull.com

1.4 Emergency telephone number

Emergency Phone : **+91 9696960250**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation

Flammable liquids Acute toxicity, Oral

Acute toxicity, Inhalation Eye irritation

Skin sensitisation

Specific target organ toxicity - single exposure, Respiratory system, Short-term (acute) aquatic hazard

Long-term (chronic) aquatic hazard

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation

Pictogram



Signal word	Danger
Hazard statement(s)	
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Stench.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	:	DMDS Methyl disulfide
Formula	:	C ₂ H ₆ S ₂
Molecular weight	:	94,20 g/mol
CAS-No.	:	624-92-0

Component	Classification	Concentration
dimethyl disulphide		
	Flam. Liq. 2; Acute Tox. 4; Acute Tox. 3; Eye Irrit. 2; Skin Sens. 1; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1; H225, H302, H331, H319, H317, H335,	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Sulphur oxides
Combustible.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact

with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation

Full contact

Material: Fluorinated rubber

Minimum layer thickness: 0,7 mm

Break through time: 480 min

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm

Break through time: 30 min

If used in solution, or mixed with other substances, and under conditions which differ from contact the supplier of the approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|---------------------------------|--------------------------------------|
| a) Appearance | Form: liquid
Colour: light yellow |
| b) Odour | unpleasant |
| c) Odour Threshold | No data available |
| d) pH | No data available |
| e) Melting point/freezing point | Melting point/range: -85 °C - lit. |

f) Initial boiling point and boiling range	109 °C - lit.
g) Flash point	15 °C - closed cup
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	Upper explosion limit: 16,1 %(V) Lower explosion limit: 1,1 %(V)
k) Vapour pressure	30 hPa at 20 °C
l) Vapour density	3,25 - (Air = 1.0)
m) Relative density	1,046 g/cm ³ at 25 °C
n) Water solubility	2,7 g/l at 20 °C - OECD Test Guideline 105
o) Partition coefficient: n-octanol/water	log Pow: 1,91 at 20,6 °C - Bioaccumulation is not expected.
p) Auto-ignition temperature	No data available
q) Decomposition temperature	390 °C -
r) Viscosity	ca.0,594 mm ² /s at ca.20 °C - OECD Test Guideline 114 - ca.0,495 mm ² /s at ca.40 °C - OECD Test Guideline 114 -

9.2 Other safety information

Solubility in other solvents	Alcohol at 20 °C - soluble Diethylether at 20 °C - soluble Hydrocarbons at 20 °C - soluble
Surface tension	72,1 mN/m at 1g/l at 20 °C - OECD Test Guideline 115
Relative vapour density	3,25 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - > 300 - 2.000 mg/kg

(OECD Test Guideline 423)

LC50 Inhalation - Rat - male and female - 4 h - 5,05 mg/l

(OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - > 5.000 mg/kg

(US-EPA)

Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation - 4 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation

(OECD Test Guideline 405)

Respiratory or skin sensitisation

Local lymph node assay (LLNA) - Mouse

Result: positive

(OECD Test Guideline 429)

Germ cell mutagenicity

No data available

Ames test

Escherichia coli/Salmonella typhimurium

Result: negative

Mutagenicity (mammal cell test): chromosome aberration.

Human lymphocytes

Result: negative

HGPRT (cell forward mutation assay)

Chinese hamster ovary cells

Result: negative

OECD Test Guideline 474

Rat - male and female - Bone marrow

Result: negative

OECD Test Guideline 486

Rat - male - Liver cells

Result: negative

Carcinogenicity

No data available

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

May cause respiratory irritation. - Respiratory system

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

Nausea, Headache, Vomiting, anemia

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 0,97 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 1,82 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Anabaena flos-aquae (cyanobacterium) - 6,7 mg/l - 96 h (OECD Test Guideline 201) static test ErC50 - Skeletonema costatum (marine diatom) - 3,9 mg/l - 96 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test Guideline 209)

12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 28 d Result: < 10 % - Not readily biodegradable. (OECD Test Guideline 301D) aerobic - Exposure time 28 d Result: 50 - 60 % - Partially biodegradable. (OECD Test Guideline 310)
------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 2381

IMDG: 2381

IATA: 2381

14.2 UN proper shipping name

ADR/RID: DIMETHYL DISULPHIDE

IMDG: DIMETHYL DISULPHIDE

IATA: Dimethyl disulphide

Passenger Aircraft: Not permitted for transport

Cargo Aircraft: Not permitted for transport

14.3 Transport hazard class(es)

ADR/RID: 3 (6.1)

IMDG: 3 (6.1)

IATA: 3 (6.1)

14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: yes

IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles

REACH - Restrictions on the manufacture, placing on the market and use of certain

dangerous substances, preparations and articles

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Relevant changes since previous version

2. Hazards identification

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. **ChemicalBull Pvt Ltd** and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

See chemicalbull.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact info@chemicalbull.com