

Website:- chemicalbull.com MATERIAL SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Dibutyl Phthalate

CAS-No. : 84-74-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Scientific research and development

1.3 Details of the supplier of the safety data sheet

Company : Chemical Bull Pvt Ltd

123/124, Panchratna, G.I.D.C Char Rasta, Vapi-396195 Dist, Valsad, Gujarat, INDIA **Website:**- chemicalbull.com

Email: info@chemicalbull.com

1.4 Emergency telephone

Emergency Phone : +91 9696960250

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# **Classification according to Regulation**

Reproductive toxicity

Short-term (acute) aquatic hazard Long-term (chronic)

aquatic hazard

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 Label elements

**Labelling according Regulation** 

Pictogram

Signal word Danger

Hazard statement(s)

H360FD May damage fertility. May damage the unborn child. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection/ hearing protection.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P391 Collect spillage.

Supplemental Hazard

Statements

none

Restricted to professional users.

Reduced Labeling (<= 125 ml)

Pictogram

Signal word Danger

Hazard statement(s)

H360FD May damage fertility. May damage the unborn child.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection/ hearing protection.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : n-Butyl phthalate

Phthalic acid dibutyl ester

**DBP** 

Formula :  $C_{16}H_{22}O_4$  Molecular weight : 278.34 g/mol CAS-No. : 84-74-2

<b>dibutyl phthalate</b> Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation			
CAS-No.	84-74-2	Repr. 1B; Aquatic Acute 1;  Aquatic Chronic 2; H360FD, H400, H411 M-Factor - Aquatic Acute: 1	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

# In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

# 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

# **6.2** Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material. Dispose of properly. Clean up affected area.

# 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

# Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage conditions**

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

**Ingredients with workplace control parameters** 

# 8.2 Exposure controls

Personal protective equipment

# **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as Safety glasses

# Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in please contact the supplier of approved gloves

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 480 min

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in please contact the supplier of approved gloves

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 60 min

# **Body Protection**

protective clothing

# **Respiratory protection**

Recommended Filter for vapours of organiccompounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear

Color: colorless

b) Odor ester-like

No data available c) Odor Threshold

d) pН at 10 mg/l at 20 °C

neutral

Melting point/range: -35 °C - lit.340 e) Melting

point/freezing point

Initial boiling point f) and boiling range

°C - lit.

g) Flash point 186,5 °C - open cup

Evaporation rate No data available h) No data available Flammability (solid,

gas)

Upper/lower j) flammability or explosive limits Lower explosion limit: ca.0,4 %(V)

k) Vapor pressure < 0,1 hPa at 20 °C

Vapor density 9,58

m) Density 1,043 g/cm3 at 25 °C - lit.

Relative density No data available

n) Water solubility ca.0,0114 g/l at 25 °C - OECD Test Guideline 105- slightly

soluble

o) Partition coefficient:n-

octanol/water

log Pow: 4,46 at 30 °C - Potential bioaccumulation

ca.390 °C p) Autoignition

at 1.000 hPa - DIN 51794 temperature

Decomposition

temperature

No data available

Viscosity, kinematic: 18,8 mm2/s at 20 °C - ASTM D 445 Viscosity

Viscosity, dynamic: No data available

#### 9.2 Other safety information

Relative vapor

9,58

density

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

# 10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

Chlorine Bases nitrates

acids

# 10.4 Conditions to avoid

Strong heating.

# 10.5 Incompatible materials

various plastics

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - male and female - 6.279 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - > = 15,68 mg/l

Remarks: (ECHA)

LD50 Dermal - Rabbit - > 21.000 mg/kg

Remarks: (RTECS)

# Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 72 h (OECD Test Guideline 405)

# Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

# Germ cell mutagenicity

Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Result: negative Remarks: (ECHA)

Test Type: Micronucleus test

Species: Mouse

Application Route: Oral

Result: negative Remarks: (ECHA)

# Carcinogenicity

No data available

# Reproductive toxicity

May damage the unborn child.

May damage fertility.

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### 11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 90 d - NOAEL (No observed adverse effect level) - 152 mg/kg - LOAEL (Lowest observed adverse effect level) - 752 mg/kg Remarks: Subchronic toxicity

RTECS: TI0875000

Nausea, Dizziness, Headache

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish static test LC50 - Lepomis macrochirus (Bluegill sunfish) - ca. 0,48

ma/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic

invertebrates

static test EC50 - Daphnia magna (Water flea) - ca. 2,99 mg/l - 48 h

(US-EPA)

static test EC50 - Pseudokirchneriella subcapitata (green algae) -Toxicity to algae

0,75 mg/l - 10 d

(US-EPA)

static test NOEC - Pseudokirchneriella subcapitata (green algae) -

0,39 mg/l - 10 d

(US-EPA)

Toxicity to bacteria EC50 - Tetrahymena pyriformis - 2,2 mg/l - 24 h

Remarks: (ECHA)

# 12.2 Persistence and degradability

Biodegradability Result: 81 % - Readily biodegradable.

# 12.3 Bioaccumulative potential

Bioaccumulation Pimephales promelas (fathead minnow) - 11 d

# - 0,0348 mg/l(dibutyl phthalate)

Bioconcentration factor (BCF): 2.165 Remarks: Does not bioaccumulate.

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

See for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 3082 IMDG: 3082 IATA: 3082

# 14.2 UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dibutyl

phthalate)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dibutyl

phthalate)

IATA: Environmentally hazardous substance, liquid, n.o.s. (dibutyl phthalate)

# 14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: yes

# 14.6 Special precautions for user

#### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation

# Authorisations and/or restrictions on use

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: dibutyl phthalate

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH - Restrictions on the manufacture, placing on the market and use of certain

: dibutyl phthalate

dangerous substances, preparations and articles (Annex XVII)

**National legislation** 

Seveso of the EuropeanParliament and of the Council on the control of major-accident hazards

: ENVIRONMENTAL HAZARDS

involving dangerous substances.

# Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir national regulations where applicable.

Take note on the protection of young people at work.

# 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

# **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H360FD	May damage fertility. May damage the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.